

Package: plsmod (via r-universe)

June 10, 2024

Title Model Wrappers for Projection Methods

Version 1.0.0.9000

Description Bindings for additional regression models for use with the 'parsnip' package, including ordinary and sparse partial least squares models for regression and classification (Rohart et al (2017) <[doi:10.1371/journal.pcbi.1005752](https://doi.org/10.1371/journal.pcbi.1005752)>).

License MIT + file LICENSE

URL <https://plsmod.tidymodels.org>,
<https://github.com/tidymodels/plsmod>

BugReports <https://github.com/tidymodels/plsmod/issues>

Depends parsnip (>= 0.2.0), R (>= 3.4)

Imports dplyr, generics, magrittr, mixOmics, purrr, rlang, tibble, tidy

Suggests rmarkdown, covr, modeldata, spelling, testthat (>= 3.0.0)

biocViews mixOmics

Config/Needs/website tidyverse/tidytemplate

Config/testthat/edition 3

Encoding UTF-8

Language en-US

Roxygen list(markdown = TRUE)

RoxygenNote 7.2.3

Repository <https://tidymodels.r-universe.dev>

RemoteUrl <https://github.com/tidymodels/plsmod>

RemoteRef HEAD

RemoteSha 902b4892b0f20dd51681a69bc5765fc8bfea604a

Contents

multi_predict_mixo_pls	2
tidy.mixo_pls	2

multi_predict._mixo_pls

Model predictions across many sub-models

Description

Model predictions across many sub-models

Usage

```
## S3 method for class '`_mixo_pls`'
multi_predict(object, new_data, num_comp = NULL, type = NULL, ...)
```

```
## S3 method for class '`_mixo_spls`'
multi_predict(object, new_data, num_comp = NULL, type = NULL, ...)
```

```
## S3 method for class '`_mixo_plsda`'
multi_predict(object, new_data, num_comp = NULL, type = NULL, ...)
```

```
## S3 method for class '`_mixo_splsda`'
multi_predict(object, new_data, num_comp = NULL, type = NULL, ...)
```

Arguments

object	An object of class <code>model_fit</code>
new_data	A rectangular data object, such as a data frame.
num_comp	An integer vector for the number of PLS terms to retain.
type	A single character value or NULL. Possible values are "numeric", "class", or "prob". When NULL, <code>predict()</code> will choose an appropriate value based on the model's mode.
...	Not currently used.

tidy.mixo_pls

Tidy methods for pls and spls objects

Description

Tidy methods for pls and spls objects

Usage

```
## S3 method for class 'mixo_pls'  
tidy(x, ...)
```

```
## S3 method for class 'mixo_spls'  
tidy(x, ...)
```

Arguments

x	An object with class <code>mixo_pls</code> or <code>mixo_spls</code> .
...	Not currently used.

Value

A tibble with columns `terms` (the predictor names), `value` (the loadings), `type` (either "predictors" or "outcomes"), and `component` (the component number).

Index

`multi_predict._mixo_pls`, [2](#)
`multi_predict._mixo_plsda`
 (`multi_predict._mixo_pls`), [2](#)
`multi_predict._mixo_spls`
 (`multi_predict._mixo_pls`), [2](#)
`multi_predict._mixo_splsda`
 (`multi_predict._mixo_pls`), [2](#)

`tidy.mixo_pls`, [2](#)
`tidy.mixo_spls` (`tidy.mixo_pls`), [2](#)